

Reference	Site Address	Description	Date of Decision
19/00276/DDT	Ladbroke Hall Ladbroke Southam CV47 2DF	-T1 Prune off failed limb.-T2 Fell (damaged by failure of T1).	31-Jan-19
19/00464/DDT	Charlecote Park Charlecote Warwick CV35 9ER	-T0294 Norway maple: reduce weight in limb failing at the branch union and extending towards adjacent public right of way.	20-Feb-19
19/00511/DDT	Binton Grange Binton Stratford-upon-Avon CV37 9TN	-T1 beech: Fell. (Extensive stem decay. Replacement planting required).	26-Feb-19
19/00616/DDT	Seafeld Lodge Station Road Claverdon Warwick CV35 8PE	-T1 larch: fell. (Dead).	11-Mar-19
19/00643/DDT	10 Millers Bank Broom Alcester B50 4HZ	-T1 Rowan - Fell (windblown, no replacement required given proximity to adjacent property).	15-Mar-19
19/00719/DDT	Three Gables Ardens Grafton Alcester B49 6DR	-T1 dead, ivy covered tree: fell.	15-Mar-19
19/00743/DDT	1 Ten Cottages Wormleighton Southam CV47 2XN	-T1 sycamore - Fell. (Main stem split. Replacement tree required).	19-Mar-19

19/00758/DDT	Bidford Boats Boatyard Drive Holland Close Bidford-on-Avon Alcester B50 4JJ	-T1 lime: re-pollard to previous pollard points (Stem decay and crown dieback).- T2 lime: re-pollard to previous pollard points (Crown will be exposed when large lateral of adjacent London plane removed and also more exposed when T1 re-pollarded).-T3 London plane: prune off large, over-extended lateral growing through crown of T2. Selective reduction of remaining crown to balance.	20-Mar-19
19/00917/DDT	Claverdon Church Centre Church Road Claverdon Warwick CV35 8PD	-T1 elm: fell. (Windblown and dying).	05-Apr-19
19/00993/DDT	Claverdon Church Centre Church Road Claverdon Warwick CV35 8PD	- 2no. elm: Fell. (Dead and ivy-clad).	24-Apr-19
19/01042/DDT	Church Of St Helen Clifford Chambers	-T1 horse chestnut - Reduce height by 40%, to remove dead/dying section of crown.	23-Apr-19
19/01137/DDT	Astwood House 67A High Street Bidford-on-Avon Alcester B50 4BG	-T1 willow, decayed pollard stem, split: Fell. (Replacement planting required).	24-Apr-19
19/01153/DDT	1 Park House Church Road Snitterfield Stratford-upon-Avon CV37 0LE	-2no. spruce - Fell. (Dead). -1no. willow- Fell. (Dead).-1no. unidentified dead stem - Fell. (Replacement planting of 2no. trees required).	24-Apr-19

19/01198/DDT	Ragley Estate Alcester	-160-170no. poplar : Fell (Trees infected with Meripilus decay fungus and failing. Hazard to highway. Replacement planting required. Note: The Forestry Commission are satisfied that the works do not require a Felling Licence due to the condition of the trees.	30-Apr-19
19/01204/DDT	5 Old Town Stratford-upon-Avon CV37 6BG	2no. holly: translocate to elsewhere in garden, due to unforeseen works necessary to stabilise boundary garden retaining wall. Should the trees fail to re-establish, replacement planting will be undertaken.	07-May-19
19/01237/DDT	STREET RECORD Clifford Chambers	-T1 hawthorn: fell (Dead - replacement planting required).	07-May-19
19/01261/DDT	The Dolls House Rookery Lane Ettington Stratford-upon-Avon CV37 7TN	T1 horse chestnut: pollard side closest to highway, following the shedding of 2no. limbs. Pollarding to balance tree, as it has been previously pollarded.	09-May-19
19/01425/DDT	The Lodge Henley Road Great Alne Alcester B49 6HR	-T1 weeping willow: undertake a crown reduction/pollarding exercise, following a section of the crown failing.	22-May-19
19/01569/DDT	Dickens Farm Sutton-under-Brailes Banbury OX15 5BE	-T1 yew - Fell. (Majority dead). Replacement planting required.	12-Jun-19

19/01571/DDT	Coughton Court Coughton Alcester B49 5JA	<p>-T17 plum- Heavily leaning. Crown reduce by 2m to improve crown structure. -  T25 oak- Maj &amp; min d/w. Remove deadwood over path.-T35 Holm oak- Multi-  stemmed at 0.5m, maj &amp; min d/w. Remove deadwood over path. -T48 oak-  Raised root plate on southern side, maj d/w. Remove deadwood over path. -  T67 lime- Co-dominant stem at 2m, raised root plate. Fell and remove.-T68  lime- One-sided crown, leaning tree. Remove deadwood and one branch over  footpath.-T70 lime- Maj &amp; min d/w. Remove major deadwood. -T71 lime-  Multi-stemmed at 5metres, major d/w. Remove deadwood. -T79 lime- Cavities  on trunk, major d/w. Remove deadwood. -T81 lime- Maj &amp;min d/w. Remove  deadwood. -T83 lime- Co-dominant stem at 6m, major d/w. Crown reduce by  3m. -T84 lime- Previously reduced, major d/w. Remove deadwood. -T94  London plane- Min d/w. Reduce lowest branch over road by 3m. -T95 London  plane- Raised root plate. Heavily leaning over road. Crown reduce by 3m. -  T99 alder- Co-dominant stem at 4m, basal cavities. Maj d/w. Fell and remove.-  T104 oak- Heavily leaning, co-dominant stem at 7m, maj d/w. Remove  deadwood over seats.-T108 oak- Major dieback in crown, maj d/w. Pollard to  10m. -T158 alder - Tree is dead. Fell and remove.-T194 poplar- Min d/w,  hanging branches. Remove hanging branches. -T206 poplar- Heavily leaning  over path, min d/w, raised root plate. Fell and remove. -T228 willow- Large  dead limb, hanging branches in crown. Remove dead limb and hangers.-T277  lime- Previously reduced, die back in crown, maj d/w. Crown reduce by 1.5m.  -T282 oak- Dominated by neighbouring trees, maj d/w. Remove deadwood  over path. -T283 oak- Maj d/w. Remove deadwood over path. -T284 oak-  One-sided crown, maj d/w. Remove deadwood over path. -T286 ash- Heavily  leaning, resting on neighbouring tree. Pollard to 10m.-T290 oak- Maj d/w.  Remove deadwood over path. -T293 ash- Maj d/w. Remove deadwood over  path.</p>	19-Jul-19
--------------	---	--	-----------

19/01603/DDT	Keepers Cottage 33 Combrook Warwick CV35 9HP	T1 oak: prune off limb with hazard beam failure.	11-Jun-19
19/01610/DDT	Coughton Court Coughton Alcester B49 5JA	-T296 field maple -Remove deadwood over path. -T297 ash - Remove deadwood over path.-T299 ash - Group of Ash, remove deadwood over path. -T301 oak - Remove deadwood over path. -T305 oak - Remove deadwood over path. -T323 oak - Remove deadwood over path. -T324 oak - Remove deadwood over path. -T343 ash - Fell.-T344 ash - Crown reduce by 3m.-T347 ash - Remove deadwood over road.-T374 oak - Remove deadwood. -T375 oak - Large cavity at base. Pollard to 10m.-T403 oak - Remove deadwood over drive.-T412 ash - Remove lowest branch over drive.-T414 oak - Remove deadwood, reduce branches over drive by 3m.-T428 Holm oak - Multi-stemmed at base, large cavity at base, sparse crown. Pollard to 7m.-T459 alder - Leaning towards building. Crown reduce by 3m.	19-Jul-19
19/01644/DDT	The Orchard Bungalow Bridge Lane Ladbroke Southam CV47 2DE	-T1 Lombardy poplar - Section of stem failed. Remove hung-up section and tidy fractured stem.-T2 horse chestnut - Prune off fractured limb.	14-Jun-19
19/01784/DDT	Grey Stones Banbury Street Kineton Warwick CV35 0JS	-T1 apple: remove dead/diseased stems leaving healthy growth.-T2 willow: on river bank with fractured main stem: pollard at point of fracture, leaving stem of approximately 3 metres. -T3 sycamore: replace existing cable brace with cobra bracing and possible new main stem brace, allowing the de tensioning of heavy metal banding, which is embedded in main stem. Reduce by 15-20% to reduce loading above braces and re balance canopy.	27-Jun-19

19/01787/DDT	Stonecroft Post Office Lane Lighthorne Warwick CV35 0AP	-T1 birch - Fell (dead).      -T2 tulip tree - Fell (dead).Replacement planting of 1no. tree required.	27-Jun-19
19/01829/DDT	Little Compton Bowls Club Little Compton Moreton-in-Marsh GL56 0SG	-T1 cherry - Fell (Replacement tree required).	02-Jul-19
19/01830/DDT	Crowne Plaza Bridgefoot Stratford-upon-Avon CV37 6YR	-T1 willow - Fell (Failed due to storm damage. Replacement planting required).	02-Jul-19
19/01892/DDT	1 High Street Henley-in-Arden B95 5AA	-T1 ash - pollard just below height of first lateral. (Tree is a lapsed pollard with decaying pollard points and bole and is located in a high target area).	05-Jul-19
19/01966/DDT	The Tennis Court Moreton Morrell Warwick CV35 9AL	-T1 conifer - Fell. (Partly failed and decaying at the base. Replacement planting required).	16-Jul-19
19/01978/DDT	5 Bearley Green Bearley Stratford-upon-Avon CV37 0SZ	-T1 goat willow - Pollard at approximately 1.5-2metres above ground level. (Tree partly failed and base decayed).	16-Jul-19
19/01988/DDT	The Laurels Henley Road Claverdon Warwick CV35 8LJ	-T1 beech - Fell. (Tree is dying and shedding deadwood over driveway. Replacement planting required).	17-Jul-19

19/02073/DDT	3 Peacock Court Chapel Street Wellesbourne Warwick CV35 9QX	-T1 unidentified species - Fell. (Dead, no replacement required as growing beneath crown of adjacent tree).	25-Jul-19
19/02074/DDT	Walnut House Leamington Road Long Itchington Southam CV47 9PL	-T1 walnut - Fell. (Tree partly dead and remaining section dying. Replacement planting required).	25-Jul-19
19/02161/DDT	Charlecote Park Charlecote Warwick CV35 9ER	-T1 Turkey oak: Fell. (Tree has failed and shed 40% of its crown. Replacement planting required).	02-Aug-19
19/02253/DDT	Green Acres Ashorne Warwick CV35 9DR	-T1 Unspecified species - Fell (Dead).	12-Aug-19
19/02255/DDT	Ilmington Grange Back Street Ilmington Shipston-on-Stour CV36 4LJ	-T1 ash - Fell (Stem split from crown break to base. Replacement planting required).	20-Aug-19
19/02269/DDT	21 Birdhaven Close Banbury Road Lighthorne Warwick CV35 0BE	-T1 ash - Fell (Large area of basal decay and compression fork present, which is opening and closing in the wind. No replacement planting required due to presence of other trees adjacent).	14-Aug-19

19/02288/DDT	Village Hall Charlecote Warwick CV35 9EW	-T1 oak: Partly failed limb, prune back to beyond point of failure.	15-Aug-19
19/02345/DDT	Butchers Arms Church End Priors Hardwick Southam CV47 7SN	-T1 weeping willow - Prune off 3no. broken, hanging branches in crown.	20-Aug-19
19/02377/DDT	Village Hall Combrook	-T1 unknown species - Fell (Dead, no replacement planting required).	22-Aug-19
19/02456/DDT	Mill Hill Cottages The Slade Fenny Compton Southam CV47 2YB	-T1 Laburnum - Fell. (Failed at the base, no replacement planting required).	02-Sep-19
19/02583/DDT	9 Old School Mead Bidford-on-Avon Alcester B50 4AW	-T1 lime - Prune off cracked secondary branch, pruning back to the branch union. Branch overhanging adjacent property, 1 Crawford Close, Bidford-on-Avon.	12-Sep-19
19/02584/DDT	Oakdene Holly Bush Lane Priors Marston Southam CV47 7RW	T1 lilac: fell. (Dead, no replacement required).	12-Sep-19
19/02597/DDT	Well Cottage The Green Snitterfield Stratford-upon-Avon CV37 0JF	-T1 conifer - Fell. (Tree has suffered extensive break-outs and evidence of root-plate movement. No replacement required).	12-Sep-19

19/02643/DDT	Newbold Pacey Hall Newbold Pacey Warwick CV35 9DP	-T1 horse chestnut - Fell (Dead. No replacement required).-T2 Robinia - Fell (Extensive basal and stem decay. No replacement required).	18-Sep-19
19/02648/DDT	The Orchard Bungalow Bridge Lane Ladbroke Southam CV47 2DE	-T1 ash - Prune off failed branch, back to next branch union. If the failed branch exhibits signs of cracking or tearing extending down to the next branch union, then the primary branch to be pruned off back to the main stem. (Recent branch failure over highway).	18-Sep-19
19/02786/DDT	Old Orchard Main Street Long Compton Shipston-on-Stour CV36 5JJ	T1 - horse chestnut - Fell	02-Oct-19
19/02828/DDT	Edgehill House Edge Hill Lane Edgehill Banbury OX15 6DQ	-T1 copper beech: fell. (Tree structurally compromised by basal and root decay fungus. Replacement planting required).	07-Oct-19
19/02830/DDT	Casa Sintra Church End Priors Hardwick Southam CV47 7SN	T1 cherry: fell (Dead. Replacement planting of an appropriate garden tree species required).	07-Oct-19
19/02832/DDT	Old Rectory Dorsington Stratford-upon-Avon CV37 8AX	-T1 Wellingtonia: Fell (Partial failure due to lightning strike and remaining stem compromised. Replacement planting required).	07-Oct-19
19/02905/DDT	Harbury Cement Works Bishops Itchington	-T1 yew - Fell. (Dead. Replacement planting required).-G2, Scots pine x2no. - Fell. (Dead. Replacement planting required).	15-Oct-19

19/02919/DDT	Touchwood Beauesert Lane Henley-In-Arden B95 5JY	T1 willow: Fell. (Part failed across neighbouring garden. Remaining stem decayed. Replacement planting required).	23-Oct-19
19/02928/DDT	Beechen Tree House Main Street Tysoe Warwick CV35 0SE	-T1 ash: prune out dead and dying top section of crown.	17-Oct-19
19/03167/DDT	Langston Farm Little Compton Moreton-in-Marsh GL56 0SH	-6no. poplar- Fell. (Trees heavily decayed, replacement planting required).	08-Nov-19
19/03330/DDT	Plantation Wood Henley Road Great Alne	-T1 multi-stemmed poplar - Fell. (Stem with acute lean over highway and earthworks undertaken in rooting zone).	03-Dec-19
19/03459/DDT	Dudfield Nurseries The Plant Centre Tavern Lane Shottery	-T1 western red cedar - Fell ( Dead, replacement planting required).-T2 cherry - Remove deadwood.	10-Dec-19
19/03494/DDT	Rose Cottage High Street Welford-on-Avon Stratford-upon-Avon CV37 8EA	-T1 hawthorn : Fell (tree partly failed).	16-Dec-19
19/03508/DDT	Theatre Gardens Waterside Stratford-upon-Avon	-T1 Scots pine - Fell. (Dead. Replacement planting required).	16-Dec-19